

Figure: 30 TAC §115.470(b)(36)

$$\text{Pounds of volatile organic compounds (VOC) per gallon of solids} = \frac{W_V}{V_M - V_V - V_W - V_{ES}}$$

Where:

$W_V$  = The weight of VOC contained in  $V_M$  gallons of adhesive or adhesive primer measured in pounds.

$V_M$  = The volume of adhesive or adhesive primer, generally assumed to be one gallon.

$V_V$  = The volume of VOC contained in  $V_M$  gallons of adhesive or adhesive primer measured in gallons.

$V_W$  = The volume of water contained in  $V_M$  gallons of adhesive or adhesive primer measured in gallons.

$V_{ES}$  = The volume of exempt solvent contained in  $V_M$  gallons of adhesive or adhesive primer measured in gallons.