

Figure 26 TAC §747.5407(e)

If the child is...	Being transported in this type of vehicle as specified in §747.5403(b) of this chapter (relating to What type of vehicle may I use to transport children?)...	Then the child must be secured in...
(1) An infant or toddler through at least 2 years of age	All vehicles	A rear-facing only child safety seat or a convertible child safety seat used rear facing for as long as possible, until the child reaches the highest weight or height allowed by the child safety seat manufacturer
(2) 2 years of age and older and within the weight and height limit of the rear or forward-facing child safety seat	All vehicles	A rear or forward-facing child safety seat with a harness for as long as possible, until the child reaches the highest weight or height allowed by the child safety seat manufacturer
(3) 4 years of age and within the weight and height limit of the forward-facing child safety seat	(A) General purpose vehicle and small school bus	A forward-facing child safety seat with a harness, a safety vest, or harness according to the manufacturer's instructions
(3) 4 years of age and within the weight and height limit of the forward-facing child safety seat	(B) Large school bus	A safety restraint system according to the vehicle manufacturer's instruction
(4) 4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is less than 4 feet, 9 inches in	(A) General purpose vehicle	A belt-positioning booster seat, safety vest, or harness according to the manufacturer's instructions

<p>height; or</p> <p>4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is 4 feet, 9 inches in height or taller, but cannot be properly secured by the lap and shoulder portions of the vehicle safety belt</p>		
<p>(4) 4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is less than 4 feet, 9 inches in height; or</p> <p>4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is 4 feet, 9 inches in height or taller, but cannot be properly secured by the lap and shoulder portions of the vehicle safety belt</p>	(B) Small school bus	A properly fitting safety belt anywhere the child sits in the vehicle
<p>(4) 4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is less than 4 feet, 9 inches in height; or</p> <p>4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, and is 4 feet, 9 inches in height or taller, but cannot be properly secured by the lap and shoulder portions</p>	(C) Large school bus	A safety restraint system according to the vehicle manufacturer's instruction

of the vehicle safety belt		
(5) 4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, can be properly secured by the lap and shoulder portions of the vehicle safety belt, and is 4 feet, 9 inches in height or taller	(A) General purpose vehicle and small school bus	A properly fitting safety belt anywhere the child sits in the vehicle
(5) 4 through 7 years of age, has outgrown the weight or height limit of the forward-facing child safety seat, can be properly secured by the lap and shoulder portions of the vehicle safety belt, and is 4 feet, 9 inches in height or taller	(B) Large school bus	A safety restraint system according to the vehicle manufacturer's instruction
(6) 8 through 12 years of age, and is less than 4 feet, 9 inches in height; or 8 through 12 years of age and is 4 feet, 9 inches in height or taller, but cannot be properly secured by the lap and shoulder portions of the vehicle safety belt	(A) General purpose vehicle	A belt-positioning booster seat, safety vest, or harness according to the manufacturer's instructions
(6) 8 through 12 years of age, and is less than 4 feet, 9 inches in height; or 8 through 12 years of age and is 4 feet, 9 inches in height or taller, but cannot be properly	(B) Small school bus	A properly fitting safety belt anywhere the child sits in the vehicle

secured by the lap and shoulder portions of the vehicle safety belt		
(6) 8 through 12 years of age, and is less than 4 feet, 9 inches in height; or 8 through 12 years of age and is 4 feet, 9 inches in height or taller, but cannot be properly secured by the lap and shoulder portions of the vehicle safety belt	(C) Large school bus	A safety restraint system according to the vehicle manufacturer's instruction
(7) 8 through 12 years of age, can be properly secured by the lap and shoulder portions of the vehicle safety belt, and is 4 feet, 9 inches in height or taller	(A) General purpose vehicle and small school bus	A properly fitting safety belt anywhere the child sits in the vehicle
(7) 8 through 12 years of age, can be properly secured by the lap and shoulder portions of the vehicle safety belt, and is 4 feet, 9 inches in height or taller	(B) Large school bus	A safety restraint system according to the vehicle manufacturer's instruction
(8) 12 through 14 years of age	(A) General purpose vehicle and small school bus	A properly fitting safety belt anywhere the child sits in the vehicle;
(8) 12 through 14 years of age	(B) Large school bus	A safety restraint system according to vehicle manufacturer's instruction.